



X-PHY® Connect
User Application Guide
IOS

User Guide

Table of Contents

Prerequisites	03
Chapter 1 Install the application	03
Chapter 2 Unlocking the SSD	05
Chapter 3 Possible Error Scenarios	07

Prerequisites


- The X-PHY must be set up with the X-PHY utility tool. A guide can be referenced to [here](#)
- Ensure that the Bluetooth module on the IOS device (iPhone/iPad) is functional.
- Ensure that the IOS device is on IOS 11 and above.
- Ensure the X-PHY is powered on and is within a 10 meter range.



The official X-PHY connect application should ONLY be obtained from the official Apple App Store. Kindly Ensure that any form of installation of the X-PHY Connect Application should be installed on a trusted IOS Device only.

Chapter 1: Install the application

- Visit the Apple App Store & search for the X-PHY Connect application



- X-PHY connect can be found in the Apple App store by scanning the following QR code



Chapter 2: Unlocking the X-PHY SSD





Detect and launch the application

Locate the application on the local android device and click on it to launch the application




Settings Icon

- The user can change the theme of the X-PHY connect application
- Share the application
- Rate the application



Notification Icon


- The user can see all the happenings of the SSD on the application




Scanning For X-PHY SSD



Click on the Bluetooth logo to start scanning for devices in the area



Once detected, select the relevant SSD and click on the pair devices button.




A connection notification may pop up. If this is experienced, click on the Pair button once again.



X-PHY Connect IOS Tool




Upon successful pairing there will be a locked description. Tap on the tab



The X-PHY connect will display the SSD's event log (if any). Proceed to click on the unlock SSD drive button.




The application will prompt the user for the individuals password and OTP




Upon Successful Password and OTP authentication, a green unlock button will be observed

Chapter 3: Possible Error Scenarios



An infinite loading circle. This means that the android mobile device has ran into an error connecting to the X-PHY.


To fix: Simply close the application and re-launch it



Unresponsive application. This means that the application has crashed. The user should close the app


To fix: The user should force close the application and reopen it.

Chapter 3: Possible Error Scenarios



If a wrong password is entered, the following notification will be observed.

To fix: Simply tap on the unlock SSD button again and re-enter the correct password.



If a wrong OTP is entered, the following notification will be observed.

To fix: The user should re-enter the correct password by tapping the Unlock SSD button once again. Followed by the correct OTP.

Learn more about X-PHY®

X-PHY AI Embedded Cyber Secure SSD | The Last Line of Defense



x-phy.com



[+65-6493 5035](tel:+6564935035)



flexxon@flexxon.com



Follow our social media channels

